

D-420L-FR

4U 20 Slots Industrial PC Rackmount Chassis
Front-mounted Redundant Power Supply



Features

- Patented Aluminum Front Panel with Locks
- 20 Slot Backplane
- Power and Alarm Reset Switch
- Power and HDD LED
- Removable Air Filter
- 120mm x3 Cooling Fan
- Front Access USB2.0 x2

Specifications

Model Number	Expansion Slots	Front Connector	
D-420L-FR	20	2x USB 2.0	
RoHS Compliance	Security	Air Filter	
YES	Front Bezel Key Lock	Removable & Washable	
Form factor	Material of Front Bezel	Motherboard Size	
4 U	Aluminum alloy	Passive backplane/ Single board	
Standard Drive Bays	Material of Handle	Cooling Fan	
3.5" Drives: 1 5.25" Drives: 4 3.5" Drive (internal): 2	SECC Zinc-Coated Steel	3x120mm	
Indicators	Material of Main Chassis	Dimensions (WxHxD)	
Power, HDD, Temperature, Fan (Fan/Temp require sensor board TC-ISF08)	1.2mm SECC Zinc-Coated Steel (Japan Made)	Width	19.00" (482.6 mm)
Switches	Color of Front Bezel	Height	7.00" (177.8 mm)
Power, Reset	Black	Depth	27.90" (708.7 mm)
Supported PSU Type	Color of Main Chassis		
PS2 Mini Redundant	Black		


Front View



Inside View




Rear View



We at iStarUSA Group offer OEM/ODM services for Industrial Power, Custom Power, Chassis, Cabinets, and Data Storage. Through our skilled metal bending, milling, and silk screening we can provide you with unique customizations that will make your product stand out from the rest. With iStarUSA Group's OEM/ODM Solutions you can be sure to receive one-of-a-kind products for your one-of-a-kind business.

Dimensions



Ordering Information

Model	Description
D-420L-FR	D-420L-FR with Black Bezel
D-420L-FR-BLUE	D-420L-FR with Blue Bezel
D-420L-FR-RED	D-420L-FR with Red Bezel
D-420L-FR-SILVER	D-420L-FR with Silver Bezel

Compatible Power

PSU Model	Description
IS-550R8P-F	550W Front Mounting PS2 Mini Redundant Power Supply

Optional Accessories

Category	Model
Drive Cage	BPN Trayless Drive Cage Series
	BPU Tray Drive Cage Series
FANS	DD-FAN80
Sliding Rail Kit	TC-RAIL Series Sliding Rail Kit