

E-204

2U 20" Depth ATX 4x5.25" Bays Rackmount Chassis



Features

- Power and Alarm Reset Switch
- 1.2mm Steel Body Chassis
- 80mm x4 Cooling Fans
- Supports ATX Motherboard
- Supports Front Access USB2.0 x2
- 2 x 3.5" Bays & 4 x 5.25" Bay
- Power LED Indicators
- Supports HDD installation from front side


Specifications

Model Number	Expansion Slots	Cooling Fan	
E-204	7(low profile)	4x80mm	
RoHS Compliance	Material of Front Bezel	Optional Fan:	
YES	Zinc-coated Steel SECC 1.2mm	90mm blower fan x1	
Form factor	Material of Handle	Dimensions (WxHxD)	
2 U	Aluminum	Width	18.98" (482.1 mm)
		Height	3.49" (88.6 mm)
		Depth	20.00" (508.0 mm)
Standard Drive Bays	Material of Main Chassis		
3.5" Drives: 2 5.25" Drives: 4	Zinc-Coated Steel SECC 1.2mm		
Indicators	Color of Main Chassis		
Power	Black		
Switches	Front Connector		
Power, Reset	2x USB 2.0		
Supported PSU Type	Motherboard Size		
2U(Maximum Depth 200mm)	12 x 9.6 (ATX, microATX)		

Front View



Inside View




Rear View



We at iStarUSA Group offer OEM/ODM services for Industrial Power, Custom Power, Chassis, Cabinets, and Data Storage. Through our skilled metal bending, milling, and silk screening we can provide you with unique customizations that will make your product stand out from the rest. With iStarUSA Group's OEM/ODM Solutions you can be sure to receive one-of-a-kind products for your one-of-a-kind business.

Dimensions



Ordering Information

Model	Description
E-204	2U 20" Depth ATX 4x5.25" Bays Rack mount Chassis

Compatible Power

PSU Model	Description
IS-2U35PD8	IS 2U 80PLUS 350W
IS-2U46PD8	IS 2U 80PLUS 460W

Optional Accessories

Category	Model
Drive Cage	BPN Trayless Drive Cage Series
	BPU Tray Drive Cage Series
Sliding Rail Kit	TC-RAIL Series Sliding Rail Kit

Compatible Riser Card

Model	Description
DD-630660-C7	2U 2 PCIe x16 Riser Card
DD-741611-C7	2U Riser card-1 PCIe x16 and 2 PCI32 Riser Card

** We offer a great selections of riser cards. Please contact our sales engineers for other specs of riser cards*