

M-140HD-ITX

1U 4-Bay Trayless Storage Server Rackmount
Chassis 12Gb/s HDD SFF-8643 Backplane



Features

- 4 Trayless Hot-swappable Bays for 3.5" HDDs
- World's First Trayless Server Rackmount
- HD miniSAS (SFF-8643) HDD Backplane
- Metal Key Lock for HDD Front Bezel
- Fully RoHS Compliant
- Built-in 250W Flex PSU
- Supports 3.5" SAS I/II/III and SATA I/II/III HDD
- High Performance Transfer Rate up to 12Gb/s


Specifications

Model Number	Supported PSU Type	Color of Main Chassis	
M-140HD-ITX	250W Flex PSU included	Black	
RoHS Compliance	Expansion Slots	Motherboard Size	
YES	1 (Low profile)	6.7 x 6.7 (mini-ITX)	
Form factor	Security	Cooling Fan	
1 U	Key Lock	2x40mm	
Standard Drive Bays	Material of Front Bezel	Dimensions (WxHxD)	
2.5" Drive (internal): 1 Hotswap 3.5": 4	Aluminum with Steel	Width	19.00" (482.6 mm)
Hotswap HDD Type:	Material of Handle	Height	1.75" (44.4 mm)
3.5" SAS I/II/III & SATA I/II/III	Aluminum	Depth	14.96" (380.0 mm)
Indicators	Material of Main Chassis		
Power, HDD	Steel		
Switches	Color of Front Bezel		
Power, Reset	Black		

Front View



Inside View




Rear View



We at iStarUSA Group offer OEM/ODM services for Industrial Power, Custom Power, Chassis, Cabinets, and Data Storage. Through our skilled metal bending, milling, and silk screening we can provide you with unique customizations that will make your product stand out from the rest. With iStarUSA Group's OEM/ODM Solutions you can be sure to receive one-of-a-kind products for your one-of-a-kind business.

Dimensions



Ordering Information

Model	Description
M-140HD-ITX	1U 4-Bay Trayless Storage Server Rackmount Chassis 12Gb/s HDD SFF-8643 Backplane

Compatible Power

PSU Model	Description
TC-1U22FX8	1U 220W FLEX 80+
TC-1U40FX8G-S	1U Flex 400W 80+ Gold

Optional Accessories

Category	Model
Sliding Rail Kit	RP-RAIL Series Slim Sliding Rail Kit

Compatible Riser Card

Model	Description
DD-666-CX	PCIe x16 to PCIe x16 Riser Card
DD-611-CX	PCI to PCI Riser Card

** We offer a great selections of riser cards. Please contact our sales engineers for other specs of riser cards*